

- Burnham, K. P. and W. S. Overton, 1969. A simulation study of livetrapping and estimation of population size. Technical Report 14, Dept. of Statistics, Oregon State University (69 pages plus Appendix tables and figures).
- Burnham, K. P. 1972. Estimation of population size in multiple capture-recapture studies when capture probabilities vary among animals. Ph.D. Dissertation, Oregon State University, Corvallis, Oregon.
- Cushwa, C. T. and K. P. Burnham, 1974. An inexpensive live trap for snowshoe hares. *Journal of Wildlife Management* 38(4):939-941.
- Krohn, W. B., F. W. Martin and K. P. Burnham, 1974. Band-recovery distribution and survival estimates of Maine woodcock. Proceedings of the Fifth American Woodcock Workshop (held December 3-5, 1974, Athens, Georgia) (8 pages).
- Henny, C. J. and K. P. Burnham, 1976. A reward band study of mallards to estimate band reporting rates. *Journal of Wildlife Management* 40(1):1-14.
- Henny and Burnham (1976) was reprinted, Pp 517-536, in Ratti, J. T., L. D. Flake, and W. A. Wentz (eds.), 1982. *Waterfowl ecology and management: selected readings*. The Wildlife Society, Bethesda, Maryland.
- Burnham, K. P. and D. R. Anderson, 1976. Mathematical models for nonparametric inferences from line transect data. *Biometrics* 32(2):325-336.
- Anderson, D. R. and K. P. Burnham, 1976. Population Ecology of the Mallard VI. The effects of exploitation on survival. U. S. Fish and Wildlife Service, Resource Publication 128 (66 pages).
- Anderson, D. R., J. L. Laake, B. R. Crain and K. P. Burnham, 1976. Guidelines for line transect sampling of biological populations. Utah Cooperative Wildlife Research Unit, Utah State University, Logan, Utah (28 pages).
- Brownie, C., D. R. Anderson, K. P. Burnham and D. S. Robson, 1978. Statistical inference from band recovery data—a handbook. U. S. Fish and Wildlife Service. Resource Publication 131 (212 pages).
- Anderson, D. R., K. P. Burnham and B. R. Crain, 1978. A log-linear model approach to estimation of population size using the line-transect sampling method. *Ecology* 59(1):190-193.
- Crain, B. R., K. P. Burnham, D. R. Anderson and J. L. Laake, 1978. A Fourier series estimator of population density for line transect sampling. Utah State University Press, Logan, Utah (25 pages).

- White, G. C., K. P. Burnham, D. L. Otis and D. R. Anderson, 1978. User's manual for program capture. Utah State University Press, Logan, Utah (40 pages).
- Otis, D. L., K. P. Burnham, G. C. White and D. R. Anderson, 1978. Statistical inference from capture data on closed animal populations. *Wildlife Monographs* 62 (135 pages).
- Anderson, D. R. and K. P. Burnham, 1978. Effects of hunting mortality on waterfowl populations. Pp 119-129 in *Transactions of the Third International Waterfowl Symposium*, Ducks Unlimited, Inc., Chicago, Illinois.
- Anderson, D. R. and K. P. Burnham, 1978. Effect of restrictive and liberal hunting regulations on annual survival rates of the mallard in North America. Pp 181-186. in *Transactions of the 43rd North American Wildlife and Natural Resources Conference*. Wildlife Management Institute, Washington, D.C.
- Anderson and Burnham (1978) was reprinted, Pp 537-542, in Ratti, J. T., L. D. Flake and W. A. Wentz (eds.), 1982. *Waterfowl ecology and management: selected readings*. The Wildlife Society, Bethesda, Maryland.
- Burnham, K. P. and W. S. Overton, 1978. Estimation of the size of a closed population when capture probabilities vary among animals. *Biometrika* 65(3):625-633.
- Anderson, D. R., J. L. Laake, B. R. Crain and K. P. Burnham, 1979. Guidelines for line transect sampling of biological populations. *Journal of Wildlife Management* 43(1):70-78.
- Burnham, K. P. and D. R. Anderson, 1979. The composite dynamic method as evidence for age-specific waterfowl mortality. *Journal of Wildlife Management* 43(2):356-366.
- Burnham and Anderson (1979) was reprinted, Pp 543-553, in Ratti, J. T., L. D. Flake and W. A. Wentz (eds.), 1982. *Waterfowl ecology and management: selected readings*. The Wildlife Society, Bethesda, Maryland.
- Anderson, D. R., K. P. Burnham and B. R. Crain, 1979. Line transect estimation of population size: the exponential case with grouped data. *Communications in Statistics* A8(5):487-507.
- Laake, J. L., K. P. Burnham and D. R. Anderson, 1979. User's manual for program transect. Utah State University Press, Logan, Utah (26 pages).
- Stendell, R. C., R. I. Smith, K. P. Burnham and R. E. Christensen, 1979. Exposure of waterfowl to lead: A nationwide survey of residues in wing bones of seven species, 1972-73. U. S. Fish and Wildlife Service, Special Scientific Report—Wildlife No. 223 (12 pages).
- Burnham, K. P., 1979. A parametric generalization of the Hayne estimator for line transect sampling. *Biometrics* 35(3):587-595.
- Burnham, K. P., D. R. Anderson and J. L. Laake, 1979. Robust estimation from line transect data. *Journal of Wildlife Management* 43(4):992-996.

- Patil, S. A., K. P. Burnham and J. L. Kovner, 1979. Non-parametric estimation of plant density by the distance method. *Biometrics* 35(3):597-604.
- Burnham, K. P. and W. S. Overton, 1979. Robust estimation of population size when capture probabilities vary among animals. *Ecology* 60(5):927-936.
- Crain, B. R., K. P. Burnham, D. R. Anderson and J. L. Laake, 1979. Non-parametric estimation of population density for line transect sampling using Fourier series. *Biometrical Journal* 21(8):731-748.
- Nelson, L. J., D. R. Anderson and K. P. Burnham, 1980. The effect of band loss on estimates of annual survival. *Journal of Field Ornithology* 51(1):30-38.
- Burnham, K. P., D. R. Anderson and J. L. Laake, 1980. Estimation of density from line transect sampling of biological populations. *Wildlife Monographs* 72 (202 pages).
- Otis, D. L., K. P. Burnham, G. C. White and D. R. Anderson, 1980. Corrections to Wildlife Monograph 62. *Journal of Wildlife Management* 44(3):666-667.
- Anderson, D. R. and K. P. Burnham, 1980. The effect of delayed reporting of band recoveries on estimates of annual survival. *Journal of Field Ornithology* 51(3):244-247.
- Anderson, D. R., K. P. Burnham and B. R. Crain, 1980. Some comments on Anderson and Pospahala's correction of bias in line transect sampling. *Biometrical Journal* 22(6):513-524.
- Anderson, D. R., A. P. Wywiałoski and K. P. Burnham, 1981. Tests of the assumptions underlying life table methods for estimating parameters from cohort data. *Ecology* 62(4):1121-1124.
- Burnham, K. P., D. R. Anderson and J. L. Laake, 1981. Line transect estimation of bird population density using a Fourier series. Pp 466-482 in C. J. Ralph and J. M. Scott (eds.). *Studies in Avian Biology*, No. 6. The Cooper Ornithological Society.
- Burnham, K. P., 1981. Summarizing remarks: Environmental Influences, Bird Census Symposium. Pp 324-325 in C. J. Ralph and J. M. Scott (eds.). *Studies in Avian Biology*, No. 6. The Cooper Ornithological Society.
- Anderson, D. R. and K. P. Burnham, 1981. Bobwhite population responses to exploitation: two problems. *Journal of Wildlife Management* 45(4):1052-1054.
- Keller, C. R. and K. P. Burnham, 1982. Riparian fencing, grazing and trout habitat preference on Summit Creek, Idaho. *North American Journal of Fisheries Management* 2(1):53-59.
- Patil, S. A., J. L. Kovner and K. P. Burnham, 1982. Optimum non-parametric estimation of population density based on ordered distances. *Biometrics* 38(1):243-248.
- Short, H. L. and K. P. Burnham, 1982. Technique for structuring wildlife guilds to evaluate impacts on wildlife communities. U. S. Fish and Wildlife Service, Special Scientific Report-Wildlife No. 244 (34 pages).

- Anderson, D. R., K. P. Burnham and G. C. White, 1982. The effect of exploitation on annual survival rate in mallard ducks: An ultra-structural model. Pp 33-39 in Proceedings of the XI-th International Biometric Conference. Biometrics Society, Washington, D.C.
- White, G. C., D. R. Anderson, K. P. Burnham and D. L. Otis, 1982. Capture-recapture and removal methods for sampling closed populations. LA-8787-NERP, Los Alamos National Laboratory (235 pages).
- Tacha, T. C., W. D. Warde and K. P. Burnham, 1982. Use and interpretation of statistics in wildlife journals. *Wildlife Society Bulletin* 10(4):355-362.
- Anderson, D. R., K. P. Burnham, G. C. White and D. L. Otis, 1983. Density estimation of small mammal populations using a trapping web and distance methods. *Ecology* 64(4):674-680.
- Anderson, D. R. and K. P. Burnham, 1983. Population regulation and limitation in the mallard: The effect of hunting on annual survival. Pp 1-13, in Symposium on Natural Regulation of Wildlife Populations, F. L. Bunnell, D. S. Eastman and J. M. Peek (eds.) (225 pp). Proceedings No. 14, The Forest, Wildlife and Range Experiment Station, University of Idaho, Moscow, Idaho.
- Burnham, K. P., 1983. Book review: *The Jackknife, the Bootstrap, and Other Resampling Plans*, by B. Efron. *Biometrics* 39(3):816-817.
- Armour, C. L., K. P. Burnham and W. S. Platts, 1983. Field methods and statistical analysis for monitoring small salmonid streams. U. S. Fish and Wildlife Service. FWS/OBS-83/33 (200 pages).
- Burnham, K. P. and D. R. Anderson, 1984. Tests of compensatory vs. additive hypotheses of mortality in mallards. *Ecology* 65(1):105-112.
- Burnham, K. P., G. C. White and D. R. Anderson, 1984. Estimating the effect of hunting on annual survival rates of adult mallards. *Journal of Wildlife Management* 48(2):350-361.
- Burnham, K. P. and D. R. Anderson, 1984. On the need for distance data in line transect counts. *Journal of Wildlife Management* 48(4): 1248-1254.
- Nichols, J. D., M. J. Conroy, D. R. Anderson and K. P. Burnham, 1984. Compensatory mortality in waterfowl populations: A review of the evidence and implications for research and management. Pp 535-554, in Transactions of the 49th North American Wildlife and Natural Resources Conference, Wildlife Management Institute, Washington, D.C.
- Anderson, D. R., K. P. Burnham and G. C. White, 1985. Problems in estimating age-specific survival rates from recovery data of birds ringed as young. *Journal of Animal Ecology* 54:89-98.
- Burnham, K. P. and J. D. Nichols, 1985. On condition bias and band recovery data from large-scale waterfowl banding programs. *Wildlife Society Bulletin* 13:345-349.
- Burnham, K. P., D. R. Anderson and J. L. Laake, 1985. Efficiency and bias in strip and line transect sampling. *Journal of Wildlife Management* 49(4):1012-1018.

- Anderson, D. R., K. P. Burnham and B. R. Crain, 1985. Estimating population size and density using line transect sampling. *Biometrical Journal* 27(7):723-731.
- Anderson, D. R., K. P. Burnham and B. R. Crain, 1985. Some mathematical models for line transect sampling. *Biometrical Journal* 27:741-752.
- Brownie, C., D. R. Anderson, K. P. Burnham and D. S. Robson, 1985. Statistical inference from band recovery data—a handbook (2nd Edition) U. S. Fish and Wildlife Service Resource Publication 156 (305 pages).
- Johnson, D. H., K. P. Burnham and J. D. Nichols, 1986. The role of heterogeneity in animal population dynamics. Pp 5.3.1-5.3.15 in Proceedings of the XIIIth International Biometric Conference. The Biometrics Society, Washington, D.C.
- Anderson, D. R., K. P. Burnham, J. D. Nichols and M. J. Conroy, 1987. The need for experiments to understand population dynamics of American Black ducks. *Wildlife Society Bulletin* 15:282-284.
- Hunt, P. G., K. P. Burnham and T. A. Matheny, 1987. Precision and bias of various soybean sampling techniques. *Agronomy Journal*, 79:425-428.
- Burnham, K. P., D. R. Anderson, G. C. White, C. Brownie and K. H. Pollock, 1987. Design and analysis of fish survival experiments based on release-recapture data. American Fisheries Society, Monograph 5. Bethesda, Maryland. 437 pp.
- Anderson, D. R. and K. P. Burnham, 1987. Estimation of Avian survival rates from ringing data: Comments on methodology. *Acta Ornithologica* 23(1):13-25.
- Burnham, K. P., 1987. A unified framework for the comprehensive analysis of release-resampling data [an abstract only]. *Acta Ornithologica* 23(1):27-28.
- Burnham, K. P., 1987. A unified approach to animal release-resampling studies of survival processes and population estimation. North Carolina State University, Institute of Statistics, Mimeograph Series, No. 1698, Raleigh, North Carolina.
- Burnham, K. P., D. R. Anderson and G. C. White, 1988. New methodology for fish survival experiments based on release-recapture. Pp 1-24 to 1-40 in Proceedings: Fish Protection at Steam and Hydroelectric Power Plants. Electrical Power Research Institute, EPRI CS/EA/AP-5663-SR. Palo Alto, CA.
- Boswell, M. T., K. P. Burnham and G. P. Patil, 1988. Role and use of composite sampling and capture-recapture sampling in ecological studies. Pp 469-488, in Handbook of Statistics Vol. 6: Sampling, P. R. Krishnaiah and C. R. Rao (eds.). Elsevier Science Publishers B. V., New York.
- Busscher, W. J., D. L. Karlen, R. E. Sojka and K. P. Burnham, 1988. Soil and plant response to three subsoiling implements. *Soil Science Society of America Journal* 52(3):804-808.
- Burnham, K. P., 1988. A comment on maximum likelihood estimation for finite mixtures of distributions. *Biometrical Journal* 30(3):379-384.

- Schwarz, C. J., K. P. Burnham and A. N. Arnason, 1988. Post-release stratification in band-recovery models. *Biometrics* 44(3):765-785.
- Leggett, J. E., W. A. Dickerson, K. P. Burnham, S. H. Roach, A. R. Hopkins and F. R. Planer, 1988. Boll weevil (*Coleoptera Curculionidae*): Emergence profile of overwintered weevils measured by grandlure-baited traps and predicting total emergence. *Environmental Entomology* 17(5):903-910.
- Burnham, K. P., 1989. Numerical survival rate estimation for capture-recapture models using SAS PROC NLIN. Pp 416-435 in *Estimation and Analysis of Insect Populations*, L. McDonald, B. Manly, J. Lockwood and J. Logan (eds.). Springer-Verlag. New York.
- Halliday, W. R. and K. P. Burnham, 1990. Choosing the optimal diagnostic dose for monitoring insecticide resistance. *Journal of Economic Entomology* 83(4):1151-1159.
- Halliday, W. R. and K. P. Burnham, 1990. BESTDOSE and RANGES: two computer programs for determining the optimal dose in diagnostic dose tests. *Journal of Economic Entomology* 83(4):1160-1169.
- Rexstad, E. A., K. P. Burnham and D. R. Anderson, 1990. Design of survival experiments using marked animals: a case study. *American Fisheries Society Symposium* 7:581-587.
- Burnham, K. P. 1990. Survival analysis of recovery data from birds ringed as young: efficiency of analyses when numbers ringed are not known. *The Ring* 13(1-2):115-132. (Proceedings of the EURING Technical Conference held in Sempach, Switzerland on 12-14 April, 1989)
- Andelt, W. F., K. P. Burnham and J.A. Manning. 1991. Relative effectiveness of repellents for reducing mule deer damage. *Journal of Wildlife Management* 55(2):341-347.
- Rexstad, E. A., D. R. Anderson and K. P. Burnham. 1991. Lack of sex-selectivity in harvest of mallards under the point system. *Journal of Wildlife Management* 55(4):586-592.
- Burnham, K. P. 1991. On a unified theory for release-resampling of animal populations. Pp 11-35 in *Proceedings of the 1990 Taipei Symposium in Statistics*, Chao M. T. and P. E. Cheng (eds.). Institute of Statistical Science, Academia Sinica. Taipei, Taiwan, R.O.C.
- Van Horne, B., K. P. Burnham and R. L. Schooley. 1991. Preliminary report on the habitat relationships of the Townsend's Ground Squirrel. Pp 114-142 in *Snake River Birds of Prey Area Research and Monitoring Annual Report 1991*, Steenhof, K. (ed.). U.S. Department of the Interior, Bureau of Land Management, Boise District, Idaho.
- Rexstad, E. A. and K. P. Burnham. 1991. User's Guide for Interactive Program CAPTURE: Abundance Estimation of Closed Animal Populations. Colorado Cooperative Fish and Wildlife Research Unit, Colorado State University, Fort Collins, CO, USA. 29 pp.
- Andelt, W. F., D. L. Baker and K. P. Burnham. 1992. Relative preference of captive cow elk for repellent-treated diets. *Journal of Wildlife Management* 56(1):164-173.

- Lebreton, J. D., K. P. Burnham, J. Clobert and D. R. Anderson. 1992. Modeling survival and testing biological hypotheses using marked animals: case studies and recent advances. *Ecological Monographs* 62(1):67-118.
- Burnham, K. P. and D. R. Anderson. 1992. Data-based selection of an appropriate biological model: the key to modern data analysis. Pp 16-30 in *Wildlife 2001: Populations*, McCullough, D. R. and R. H. Barrett (eds.). Elsevier Science Publishers, Ltd. London, England.
- Schalk, J. M., A. Jones, P. D. Dukes and K. P. Burnham. 1992. Responses of soil insects to mixed and contiguous plantings of resistant and susceptible sweetpotato cultivars. *HortScience* 27:1089-1091.
- Van Horne, B., R. L. Schooley, P. B. Sharpe, J. G. Corn, K. P. Burnham, G. S. Olson, P. G. Wilber, and D. W. Duszynski. 1992. Habitat relationships of Townsend's Ground Squirrels Pp 166-246 in *Snake River Birds of Prey Area 1992 Annual Report*, Steenhof, K. (ed.). U.S. Department of the Interior, Bureau of Land Management, Boise District, Idaho.
- Burnham, K. P. 1993. A theory for combined analysis of ring recovery and recapture data. Pp 199-213 in *Marked Individuals in the Study of Bird Population*, J. D. Lebreton and P. M. North (eds.). Birkha user Verlag. Basel. Switzerland.
- Buckland, S. T., D. R. Anderson, K. P. Burnham, and J. L. Laake. 1993. *Distance Sampling: Estimating Abundance of Biological Populations*. Chapman & Hall, London. 446 pp.
- Schooley, R. L., B. Van Horne, and K. P. Burnham. 1993. Passive integrated transponders for marking free-ranging Townsend's ground squirrels. *Journal of Mammalogy* 74:480-484.
- Laake, J. L., S. T. Buckland, D. R. Anderson, and K. P. Burnham. 1993. *DISTANCE User's Guide V2.0*. Colorado Cooperative Fish and Wildlife Research Unit. Colorado State University, Fort Collins, Colorado. 72 pp.
- Burnham, K. P., and E. A. Rexstad. 1993. Modeling heterogeneity in survival rates of banded waterfowl. *Biometrics* 49:1194-1208.
- Andelt, W. F. and K. P. Burnham. 1993. Effectiveness of nylon lines for deterring rock doves from landing on ledges. *Wildlife Society Bulletin* 21:451-456.
- Van Horne, B., R. L. Schooley, G. S. Olson, and K. P. Burnham. 1993. Patterns of density, reproduction, and survival in Townsend's ground squirrels. Pp 158-183 in *Snake River Birds of Prey Area 1993 Annual Report*, Steenhof, K. (ed.). U.S. Department of the Interior, Bureau of Land Management, Boise District, Idaho.
- Burnham, K. P., D. R. Anderson and G. C. White. 1994. Estimation of vital rates of the Northern Spotted Owl. Appendix J (44 pages) in Volume II, Final Supplemental Environmental Impact Statement on Management of Habitat for Late-Successional and Old-Growth Forest Related Species Within the Range of the Northern Spotted Owl. USDA-FS and USDI-BLM, Interagency SEIS Team, P.O. Box 3623, Portland Oregon 97208.

- Laake, J. L., S. T. Buckland, D. R. Anderson, and K. P. Burnham. 1994. DISTANCE User's Guide V2.1. Colorado Cooperative Fish and Wildlife Research Unit. Colorado State University, Fort Collins, Colorado. 84 pp.
- Andelt, W. F., K. P. Burnham and D. L. Baker. 1994. Effectiveness of capsaicin and bitrex repellents for deterring browsing by captive mule deer. *Journal of Wildlife Management* 58(2):330-334.
- Burnham, K. P., D. R. Anderson and G. C. White. 1994. Evaluation of the Kullback-Leibler discrepancy for model selection in open population capture-recapture models. *Biometrical Journal* 36(3):299-315.
- Anderson, D. R., K. P. Burnham and G. C. White. 1994. AIC model selection in overdispersed capture-recapture data. *Ecology* 75(6):1780-1793.
- Van Horne, B. R. L. Schooley, P. B. Sharpe, G. S. Olson, and K. P. Burnham. 1994. Habitat relationships of Townsend's ground squirrels. Pp 154-179 in *Snake River Birds of Prey National Conservation Area Research and Monitoring Annual Report 1994*, Steenhof, K. (ed.). U.S. Department of the Interior, Bureau of Land Management and National Biological Service, Raptor Research and Technical Assistance Center, Boise, Idaho.
- Burnham, K. P., G. C. White and D. R. Anderson. 1995. Model selection strategy in the analysis of capture-recapture data. *Biometrics* 51:888-898.
- Robinette, K. W., W. F. Andelt, and K. P. Burnham. 1995. Effect of group size on survival of relocated prairie dogs. *Journal of Wildlife Management* 59(4):867-874.
- Anderson, D. R., G. C. White, and K. P. Burnham. 1995. Some specialized risk assessment methodologies for vertebrate populations. *Environmental and Ecological Statistics* 2:91-115.
- Burnham, K. P. 1995. Book review: *Handbook of Statistics, Vol. 12: Environmental statistics*. Patil, G.P. and C.R. Rao (eds.). *Biometrics* 51:1584-1585.
- Burnham, K. P., D. R. Anderson, G. C. White 1995. Selection among open population capture-recapture models when capture probabilities are heterogeneous. *Journal of Applied Statistics* 22(5&6):611-624.
- White, G. C., A. F. Reeve, F. G. Lindzey, and K. P. Burnham. 1996. Estimation of mule deer winter mortality from age ratios. *Journal of Wildlife Management* 60:37-44.
- Modde, T., K. P. Burnham, and E. J. Wick. 1996. Population status of the endangered razorback sucker in the middle Green River. *Conservation Biology* 10:110-119.
- Burnham, K. P., D. R. Anderson and G. C. White. 1996. Meta-analysis of vital rates of the northern spotted owl. *Studies in Avian Biology* 17:92-101.

- Franklin, A. B., D. R. Anderson, E. D. Forsman, K. P. Burnham, and F. Wagner. 1996. Methods for collecting and analyzing demographic data on the northern spotted owl. *Studies in Avian Biology* 17:12-20.
- Osmundson, D. B., and K. P. Burnham. 1996. Status and trends of the Colorado squawfish in the upper Colorado River. Final Report, U. S. Fish and Wildlife Service, Grand Junction, Colorado.
- Van Horne, B., R. L. Schooley, S. T. Knick, G. S. Olson, and K. P. Burnham. 1997. Use of burrow entrances to indicate densities of Townsend's ground squirrels. *Journal of Wildlife Management* . 61:92-101.
- Buckland, S.T., K. P. Burnham, and N. H. Augustin. 1997. Model selection: and integral part of inference. *Biometrics* 53:603-618.
- Burnham, K. P. 1997. Distributional results for special cases of the Jolly-Seber model. *Communications in Statistics* 26:1395-1409.
- Van Horne, B., G. S. Olson, R. L. Schooley, J. G. Corn, and K. P. Burnham. 1997. Effects of drought and prolonged winter on Townsend's ground squirrel demography in different shrubsteppe habitats. *Ecological Monographs* 67(3): 295-315.
- Burnham, K. P., D. R. Anderson, S. T. Buckland, and J. L. Laake. 1998. Distance Sampling, Pp 183-188 in *Encyclopedia of Statistical Sciences, Update Volume 2*, Kotz, S., B. R. Read, and D. L. Banks (eds.). John Wiley & Sons, Inc., New York.
- Anderson, D. R., K. P. Burnham, and G. C. White. 1998. Comparison of Akaike information criterion and consistent Akaike information criterion for model selection and statistical inference from capture-recapture studies. *Journal of Applied Statistics* 25(2):263-282.
- Stanley, T. R., and K. P. Burnham. 1998. Estimator selection for closed-population capture-recapture. *Journal of Agricultural, Biological and Environmental Statistics* 3:131-150.
- Shenk, T. M., G. C. White, and K. P. Burnham. 1998. Sampling-variance effects on detecting density dependence from temporal trends in natural populations. *Ecological monographs* 68:445-463.
- Hilaire, L. J., D. E. Bensen, and K. P. Burnham. 1998. Evaluation of home-study versus teacher-taught hunter education: expanding learning opportunities. *Wildlife Society Bulletin* 26(1):56-67.
- Stanley, T. R., and K. P. Burnham. 1998. Information-theoretic model selection and model averaging for closed-population capture-recapture studies. *Biometrical Journal* 40:475-494.
- Buckland, S.T., D. R. Anderson, K. P. Burnham, and J. L. Laake. 1998. Distance sampling. Pp 1190-1196 in *Encyclopedia of Biostatistics*. John Wiley & Sons, Ltd., London.
- Burnham, K. P. and D. R. Anderson. 1998. *Model Selection and Inference: A Practical Information-Theoretical Approach*. Springer-Verlag, New York, NY.

- Osmundson, D. B., and K. P. Burnham. 1998. Status and trends of the endangered Colorado squawfish in the upper Colorado River. *Transactions of the American Fisheries Society* 127:957-970.
- Thomas, L., J. L. Laake, J. F. Derry, S. T. Buckland, D. L. Borchers, D. R. Anderson, K. P. Burnham, S. Strindberg, S. L. Hedley, M. L. Burt, F. F. C. Marques, J. H. Pollard, and R. M. Fewster. 1998. *Distance 3.5*. Research Unit for Wildlife Population Assessment, University of St. Andrews, UK. Available: <http://www.ruwpa.st-and.ac.uk/distance/>
- Franklin, A. B., K. P. Burnham, G. C. White, R. J. Anthony, E. D. Forsman, C. Schwarz, J. D. Nichols, and J. Hines. 1999. Range-wide status and trends in northern spotted owl populations. U. S. Geological Survey, Biological Resources Division, Oregon State University Cooperative Fish and Wildlife Research Unit. Corvallis, Oregon. 71 pp (A report to BLM, FWS and USFS on all the NSO demography data for the past 16 years; the results of a very intensive data analysis effort).
- Stanley, T. R., and K. P. Burnham. 1999. A goodness-of-fit test for capture-recapture model M_t under closure. *Biometrics* 55:366-375.
- Stanley, T. R., and K. P. Burnham. 1999. A closure test for time-specific closed-population capture-recapture data. *Environmental and Ecological Statistics* 6:197-209.
- Oyler-McCance, S. J., N. W. Kahn, K. P. Burnham, C. E. Braun, and T. W. Quinn. 1999. A population genetic comparison of large- and small-bodied sage grouse in Colorado using microsatellite and mitochondrial DNA markers. *Molecular Ecology* 8:1457-1466.
- Baker, D. L., W. F. Andelt, K. P. Burnham, and W. D. Shepperd. 1999. Effectiveness of hot sauce and deer away repellents for deterring elk browsing of aspen sprouts. *Journal of Wildlife Management* 63:1327-1336.
- Anderson, D. R., and K. P. Burnham. 1999. Understanding information criteria for selecting among capture-recapture or ring recover models. *Bird Study* 46 (Supplement):S14-21.
- Anderson, D. R., and K. P. Burnham. 1999. General strategies for the analysis of ringing data. *Bird Study* 46 (Supplement):S261-270.
- White, G. C., and K. P. Burnham. 1999. Program MARK: survival estimation from populations of marked animals. *Bird Study* 46 (Supplement):S120-139.
- Anderson, D. R., K. P. Burnham, A. B. Franklin, R. J. Gutierrez, E. D. Forsman, R. G. Anthony, G. C. White, and T. Shenk. 1999. A protocol for conflict resolution in analyzing empirical data related to natural resource controversies. *Wildlife Society Bulletin* 27:1050-1058.

- Smith, D. R., K. P. Burnham, D. M. Kahn, X. He, C. J. Goshorn, K. A. Hattala, and A. Kahnle. 2000. Bias in survival estimates from tag-recovery models where catch-and-release is common, with an example from Atlantic striped bass (*Morone Saxatilis*). *Canadian Journal of Fisheries and Aquatic Science* 57:886-897.
- Freilich, J. E., K. P. Burnham, C. M. Collins, and C. A. Garry. 2000. Factors affecting population assessments of desert tortoises. *Conservation Biology* 14:1479-1489.
- Anderson, D. R., K. P. Burnham, and W. L. Thompson. 2000. Null hypothesis testing: problems, prevalence, and an alternative. *Journal of Wildlife Management* 64:912-923
- Franklin, A. B., D. R. Anderson, R. J. Gutierrez, and K. P. Burnham. 2000. Climate, habitat quality, and fitness in northern spotted owl populations in northwestern California. *Ecological Monographs* 70:539-590.
- Anderson, D. R., and K. P. Burnham. 2001. Commentary on models in ecology. *Bulletin of the Ecological Society of America* 82:160-161.
- Anderson, D. R., K. P. Burnham, G., W. Gould, and S. Cherry. 2001. Concerns about finding effects that are actually spurious. *Wildlife Society Bulletin* 29:311-316
- Franklin, A. B., T. M. Shenk, D. R. Anderson, and K. B. Burnham. 2001. Statistical model selection: the alternative to null hypothesis testing. Pp 75-90 in *Modeling in Natural Resource Management: Development, Interpretation, and Application*, Shenk, T. M. and A. B. Franklin (eds.). Island Press, Washington, D.C.
- Burnham, K. B., and D. R. Anderson. 2001. Kullback-Leibler information as a basis for strong inference in ecological studies. *Wildlife Research* 28:111-119.
- Anderson, D. R., K. P. Burnham, B. C. Lubow, L. Thomas, P. S. Corn, P. A. Medica, and R. W. Marlow. 2001. Field trials of line transect methods applied to estimation of desert tortoise abundance. *Journal of Wildlife Management* 65:583-597.
- Anderson, D. R., W. A. Link, D. H. Johnson, and K. P. Burnham. 2001. Suggestions for presenting the results of data analyses. *Journal of Wildlife Management* 65:373-378. (An invited paper).
- Buckland, S. T., D. R. Anderson, K. P. Burnham, J. L. Laake, D. L. Borchers, and L. J. Thomas. 2001. *An Introduction to Distance Sampling: Estimating Abundance of Biological Populations*. Oxford University Press, Oxford, UK. 432 pp.
- Oyler-McCance, S. J., K. P. Burnham, and C. E. Braun. 2001. Influence of changes in sagebrush on Gunnison sage grouse in southwestern Colorado. *The Southwestern Naturalist*, 46:323-331.
- Anderson, D. R., K. P. Burnham, and G. C. White. 2001. Kullback-Leibler information in resolving natural resources conflicts when definitive data exist. *Wildlife Society Bulletin* 29:1260-1270.

- Thomas, L., S. T. Buckland, K. P. Burnham, D. R. Anderson, J. L. Laake, D. L. Borchers, and S. Strindberg. 2002. Distance sampling. Pp 544-552, Volume 1, in Encyclopedia of Environmetrics, El-Shaarawi, A. H. and W. W. Piegorsh (eds). John Wiley and Sons Ltd. Chichester.
- Franklin, A. B., D. R. Anderson, and K. P. Burnham. 2002. Estimation of long-term trends and variation in avian survival probabilities using random effects models. Pp 267-287 in Statistical Analysis of Data from Marked Bird Populations, Morgan, B.J.T. and Thomson, D.L. (eds). Journal of Applied Statistics 29, numbers 1-4.
- Burnham, K. P., and G. C. White. 2002. Evaluation of some random effects methodology applicable to bird ringing data. Pp 245-264 in Statistical Analysis of Data from Marked Bird Populations, Morgan, B.J.T. and Thomson, D.L. (eds). Journal of Applied Statistics 29, numbers 1-4.
- Burnham, K. P. and D. R. Anderson. 2002. Model Selection and Multimodel Inference: A Practical Information-Theoretical Approach (2nd Edition). Springer-Verlag, New York, NY.
- Anderson, D. R., and K. P. Burnham 2002. Avoiding pitfalls when using information-theoretic methods. Journal of Wildlife Management 66:912-918.
- Wolfe, L. L., M.M. Conner, T. H. Baker, V. J. Dreitz, K. P. Burnham, E. S. Williams, N. T. Hobbs, and M. W. Miller. 2002. Evaluation of antemortem sampling to estimate chronic wasting disease prevalence in free-ranging mule deer. Journal of Wildlife Management 66:564-573.
- White, G. C., K. P. Burnham, and D. R. Anderson. 2001. Advanced features of program MARK. Pp 368-377 in Wildlife, Land, and People: Priorities for the 21st Century, R. Field, R. Warren, H. Okarma, and P. Sievert (eds.). Proceedings of the Second International Wildlife Management Congress. The Wildlife Society, Bethesda, Maryland, USA. (the meeting was in mid 1999, the book did not actually come out until the very end of 2002, yet it has a 2001 date).
- Oyler-McCance, S. J., K. P. Burnham, and C. E. Braun. 2001. Modeling management and conservation strategies for Gunnison sage grouse in Colorado. Pp 305-307 in Wildlife, Land, and People: Priorities for the 21st Century, R. Field, R. Warren, H. Okarma, and P. Sievert (eds.). Proceedings of the Second International Wildlife Management Congress. The Wildlife Society, Bethesda, Maryland, USA.
- Burnham, K. P. 2002. Invited discussion comments on the paper "Spiegelhalter et al., Bayesian measures of model complexity and fit," Journal of the Royal Statistical Society, Series B 64:629.
- Harris, R. B., and K. P. Burnham. 2002. On estimating wildlife densities from line transect data. Acta Zoologica Sinica [Dongwu Xuebao] 48:812-818 (in Chinese). (this journal is sometimes referred to as The Chinese Journal of Zoology).

- Thomas, L., Laake, J.L., Strindberg, S., Marques, F.F.C., Buckland, S.T., Borchers, D.L., Anderson, D.R., Burnham, K.P., Hedley, S.L., and Pollard, J.H. 2002. Distance 4.0. Release 1. Research Unit for Wildlife Population Assessment, University of St. Andrews, UK.
<http://www.ruwpa.st-and.ac.uk/distance/>
- Parmenter, R. R., T. L. Yates, D. R. Anderson, K. P. Burnham, J. L. Dunn, A. B. Franklin, M. T. Friggens, B. C. Lubow, M. Miller, G. S. Olson, C. A. Parmenter, J. Pollard, E. Rexstad, T. M. Shenk, T. R. Stanley, and G. C. White. 2003. Small-mammal density estimation: A field comparison of grid-based vs. web-based density estimators. *Ecological Monographs* 73:1-26.
- Bergstedt, R. A., R. B. McDonald, K. M. Mullett, G. M. Wright, W. D. Swink, and K. P. Burnham. 2003. Mark-recapture population estimates of parasitic sea lampreys (*Petromyzon marinus*) in Lake Huron. *Journal of Great Lakes Research* 29(sup1):226-239.
- Bart, J., K. P. Burnham, E. H. Dunn, C. Francis, C. J. Ralph. 2004. Goals and strategies for estimating trends in landbird abundance. *Journal of Wildlife Management* 68:611-623.
- Buckland, S. T., D. R. Anderson, K. P. Burnham, J. L. Laake, D. L. Borchers, L. J. Thomas (eds.). 2004. *Advanced Distance Sampling: Estimating Abundance of Biological Populations*. Oxford University Press, Oxford, UK.
- The book chapters can be cited separately from the book (and the editing aspect is separate from chapter authorship); therefore, I decided to list the book as one item as well as list each chapter I co-authored as an item.
- Borchers, D. L., and K. P. Burnham. 2004. General formulation for distance sampling, Pp 6-30 (Chapter 2) in *Advanced Distance Sampling*, Buckland et al. (eds.), Oxford University Press, Oxford, UK.
- Thomas, L., K. P. Burnham, and S. T. Buckland. 2004. Temporal inferences from distance sampling surveys, Pp 71-107 (Chapter 5) in *Advanced Distance Sampling*, Buckland et al. (eds.), Oxford University Press, Oxford, UK.
- Burnham, K. P., S. T. Buckland, J. L. Laake, D. L. Borchers, and T. A. Marques. 2004. Further topics, Pp 307-392 (Chapter 11) in *Advanced Distance Sampling*, Buckland et al. (eds.), Oxford University Press, Oxford, UK.
- Anthony, R. G., E. D. Forsman, A. B. Franklin, D. R. Anderson, K. P. Burnham, G. C. White, C. J. Schwarz, J. D. Nichols, J. E. Hines, G. S. Olson, S. H. Ackers, S. L. Andrews, B. L. Biswell, P. C. Carlson, L. V. Diller, K. M. Dugger, K. E. Fehring, T. L. Fleming, R. P. Gerhardt, S. A. Gremel, R. J. Gutierrez, P. J. Happe, D. R. Herter, J. M. Higley, R. B. Horn, L. L. Irwin, P. J. Loschl, J. A. Reid, and S. G. Sovern. 2004. Status and trends in demography of northern spotted owls, 1985-2003. A report to the Interagency Regional Monitoring Program (USFS, USFWS, BLM, et al.), Portland, Oregon. (more detailed than the monograph, with extra appendices).
- Lukacs, P. M., V. J. Dreitz, F. L. Knopf, and K. P. Burnham. 2004. Estimating survival probabilities of unmarked dependent young when detection is imperfect. *The Condor* 106:926-931.

- Burnham, K. P., and D. R. Anderson. 2004. Multimodel inference: understanding AIC and BIC in model selection. *Sociological Methods & Research* 33:261-305.
(Invited paper in a special issue of SM&R devoted to model selection).
- Barker, R. J., K. P. Burnham, and G. C. White. 2004. Encounter history modeling of joint mark-recapture, tag-resighting and tag-recovery data under temporary emigration. *Statistica Sinica* 14:1037-1055.
- Burnham, K. P. 2004. Foreword, in the book, "Sampling Rare or Elusive Species: Concepts, Designs and Techniques for Estimating Population Parameters." Thompson, W. L. (Editor). Island Press, Washington, DC.
- Farnsworth, M. L., L. L. Wolfe, N. T. Hobbs, K. P. Burnham, E. S. Williams, D. M. Theobald, M. M. Conner, and M. W. Miller. 2005. Human land use influences chronic wasting disease prevalence in mule deer. *Ecological Applications* 15:119-126.
- Lukacs, P. M., and K. P. Burnham. 2005. Estimating population size from DNA-based closed capture-recapture data incorporating genotyping error. *Journal of Wildlife Management* 69: 396-403.
- Lukacs, P. M., D. R. Anderson, and K. P. Burnham. 2005. Evaluation of trapping-web designs. *Wildlife Research* 32:103-110.
- Lukacs, P. M. and K. P. Burnham. 2005. Review of capture-recapture methods applicable to noninvasive genetic sampling. *Molecular Ecology* 14:3909-3919.
- Francis, C. M., Bart, J., E. H. Dunn, K. P. Burnham, and C. J. Ralph. 2005. Enhancing the value of the breeding bird survey: Reply to Sauer et al. (2005). *Journal of Wildlife Management* 69: 1327-1332.
- Thomas, L., J. L. Laake, S. Strindberg, F. F. C. Marques, S. T. Buckland, D. L. Borchers, D. R. Anderson, K. P. Burnham, S. L. Hedley, and J. H. Pollard, J. R. B. Bishop, and T. A. Marques. 2005. Distance 5.0, Release 2. Research Unit for Wildlife Population Assessment, University of St. Andrews, UK. <http://www.ruwpa.st-and.ac.uk/distance/>
- Anthony, R. G., E. D. Forsman, A. B. Franklin, D. R. Anderson, K. P. Burnham, G. C. White, C. J. Schwarz, J. D. Nichols, J. E. Hines, G. S. Olson, S. H. Ackers, S. L. Andrews, B. L. Biswell, P. C. Carlson, L. V. Diller, K. M. Dugger, K. E. Fehring, T. L. Fleming, R. P. Gerhardt, S. A. Gremel, R. J. Gutierrez, P. J. Happe, D. R. Herter, J. M. Higley, R. B. Horn, L. L. Irwin, P. J. Loschl, J. A. Reid, S. G. Sovern. 2006. Status and trends in demography of northern spotted owls, 1985-2003. 2006. *Wildlife Monographs* 163:1-48.
- McClintock, B., T., G. C. White, and K. P. Burnham. 2006. A robust design mark-resight abundance estimator allowing heterogeneity in resighting probabilities. *Journal of Agricultural, Biological and Environmental Statistics* 11:231-248.

- Franklin, A. B., J. D. Nichols, R. G. Anthony, K. P. Burnham, G. C. White, E. D. Forsman, D. R. Anderson. 2006. Comment on "Are survival rates for northern spotted owls biased?" *Canadian Journal of Zoology* 84:1375-1390.
- Brehme, C. S., K. P. Burnham, D. A. Kelt, A. R. Olsen, S. J. Montgomery, S. A. Hathaway, and R. N. Fisher. 2006. Stephens' Kangaroo Rat (*Dipodomys stephensi*) Monitoring Protocol for MCB Camp Pendleton (final report). Prepared for AC/S Environmental Security, Marine Corps Base, Camp Pendleton. DOI-USGS Western Ecological Research Center, San Diego, CA.
- Farnsworth, M., W. Kendall, R. Miller, P. Doherty, J. D. Nichols, G. C. White, K. P. Burnham, and A. B. Franklin. 2007. A preliminary sampling protocol for early detection of highly pathogenic avian influenza in environmental samples from migratory waterfowl in the United States for 2007. USDA-APHIS-WS National Wildlife Research Center, Colorado State University and USGS. (A report from the Sampling Design Committee for Detecting Avian Influenza in Environmental Samples, USDA, USGS and CSU).
- Lukacs, P. M., W. L. Thompson, W. L. Kendall, W. R. Gould, P. F. Doherty, K. P. Burnham, D. R. Anderson. 2007. Concerns regarding a call for pluralism. *Journal of Applied Ecology* 44: 456-460.
- Conner, M. M., M. W. Miller, M. R. Ebinger, K. P. Burnham. 2007. A spatial, meta-BACI approach for evaluating effects of chronic wasting disease in free-ranging mule deer. *Ecological Applications* 17:140-153.
- Farnsworth, M. L., J. A. Hoeting, N. T. Hobbs, M. M. Conner, K. P. Burnham, L. L. Wolfe, E. S. Williams, D. M. Theobald, and M. W. Miller. 2007. The role of geographic information systems in wildlife landscape epidemiology: models of chronic wasting disease in Colorado mule deer. *Veterinaria Italiana* 43:581-593.
- Lukacs, P. M., L. S. Eggert, K. P. Burnham. 2007. Estimating population size from dung-based DNA capture-recapture data. *Wildlife Biology in Practice* 3:83-92. A web publication <http://www.socpvs.org/journals/index.php/wbp>
- Thomson, D. L., M. J. Conroy, D. R. Anderson, K. P. Burnham, E. G. Cooch, C. M. Francis, J. D. Lebreton, M. S. Lindberg, B. J. T. Morgan, D. L. Otis, and G. C. White. 2009. Standardizing terminology and notation for the analysis of demographic processes in marked populations, pp 1099-1106 in *Modeling Demographic Processes in Marked Populations*, Environmental and Ecological Statistics 3. Thomson, D.L., E.G. Cooch, and M.J. Conroy (Eds.). Springer, New York, NY.
- McClintock, B. T., G. C. White, K. P. Burnham, and M. A. Pryde. 2009. A generalized mixed effects model of abundance for mark-resight data when sampling is without replacement, pp 271-289 in *Modeling Demographic Processes in Marked Populations*, Environmental and Ecological Statistics 3. Thomson, D.L., E.G. Cooch, and M.J. Conroy (Eds.). Springer, New York, NY.

White, G. C., K. P. Burnham, and R. J. Barker. 2009. Evaluation of a Bayesian MCMC random effects inference methodology for capture-mark-recapture data, pp 1119-1127 in *Modeling Demographic Processes in Marked Populations*, Environmental and Ecological Statistics 3. Thomson, D.L., E.G. Cooch, and M.J. Conroy (Eds.). Springer, New York, NY.

Lukacs, P. M., K. P. Burnham, B. P. Dreher, K. T. Scribner, S. R. Winterstein. 2009. Extending the robust design for DNA-based capture-recapture data incorporating genotyping error and laboratory data, pp 711-726 in *Modeling Demographic Processes in Marked Populations*, Environmental and Ecological Statistics 3. Thomson, D.L., E.G. Cooch, and M.J. Conroy (Eds.). Springer, New York, NY.

Fewster, R. M., S. T. Buckland, K. P. Burnham, D. L. Borchers, P. E. Jupp, J. L. Laake, and L. Thomas. 2009. Estimating the encounter rate variance in distance sampling. *Biometrics* 65:225-236.

Thomas, L., J. L. Laake, E. Rexstad, S. Strindberg, F. F. C. Marques, S. T. Buckland, D. L. Borchers, D. R. Anderson, K. P. Burnham, M. L. Burt, S. L. Hedley, J. H. Pollard, J. R. B. Bishop, and T. A. Marques. 2009. Distance 6.0, Release 1. Research Unit for Wildlife Population Assessment, University of St. Andrews, UK.
<http://www.ruwpa.st-and.ac.uk/distance/>